



प्रलकीर्तिमपावृणु

email/ Speed post

No. 2/26-W/2015-16
Government of India
Archaeological Survey of India
Guwahati Circle
Office of the Superintending Archaeologist
G.N.B.Road, Ambari, Guwahati – 1

Dated, the

NOTICE INVITING OPEN TENDER

The Superintending Archaeologist, Archaeological Survey of India, Guwahati Circle, Guwahati on behalf of the President of India invites Tender in sealed cover from the Contractors approved & registered by CPWD/PWD/MES/Railways and other Govt./Semi Govt. Department with valid license including valid PAN & VAT Reg. No. (GRN) **having two years experience in similar civil works with Archaeological Survey of India for execution of work as per specification.** The tender document will be issued on written request upto 05.00 hrs. on **27/01/2017** and the tender document will be received up to 14.30 hours on **30/01/2017** and the same will be opened on the same day at 15.00 hours in presence of intending tender bidders or their authorized representatives.

Name of work	Estimated cost	Date of opening	Remarks
SR (Plan) to Rock-cut Sculpture at Unakoti (2015-16)	₹ 22,92,054/-	30/01/2017	Execution of work and supply of materials as per specification

Tender documents is also available in the Departmental website www.asi.nic.in and www.asiguwahaticircle.gov.in and also on central public procurement portal www.eprocure.gov.in which may be downloaded and should be submitted duly filled along with the earnest money of ₹ 57,301/- only and cost of tender form of ₹ 500/- only (non-refundable) separately in the form of Demand Draft of any Nationalized Bank obtained in favour of the “Superintending Archaeologist, Archaeological Survey of India, Guwahati Circle, Guwahati - 1” including **Contractor’s Registration certificate, PAN, VAT clearance certificate, Labour Registration, work order/experience certificate of similar works etc. (after completion of electrical work testing have to be done by any licensed supervisor)** failing which the tender will summarily be rejected. The EMD of unsuccessful tender bidders will be returned in due course.

The undersigned reserves the right to accept or reject any or all the tenders without assigning any reasons thereof. Any type of information regarding this tender may be obtained from this office on all working days. The contractors will have to quote the rate of all items mentioned in the tender schedule failing which the submitted tender will be rejected.

The WCT VAT, Income Tax & Labour cess at prescribed rate will be deducted from the total billed amount at source during payment.

sd/-

Superintending Archaeologist

No. 2/22-W(D)/2015-16-4560

Dated 19 JAN 2017

Copy forwarded with the request to exhibit in the office Notice Board for wide publicity :

1. The Additional Director General, ASI, ND for hosting of NIT on the Central Public Procurement Portal (www.eprocure.gov.in)
2. The District Magistrate, Dist. Unakoti, Tripura
3. The Executive Engineer, PWD, Dist. Unakoti, Tripura
4. The Conservation Assistant, ASI, Udaipur Sub Circle.
5. Guwahati Circle Office Notice Board.
6. Website section of Guwahati Circle, Guwahati.
7. The Web Manager, ASI, Janpath, ND to upload in the website “www.asi.nic.in”.

sd/-
13/1/17
Superintending Archaeologist

TENDER FOR EXECUTION OF WORK

Price of Tender ₹ 500/-

I/we hereby tender for execution of work on behalf of the President of India as described in the under mentioned memorandum according to the specification within the times specified and the rates specified therein subject to the conditions of the contract for execution of work **SR (Plan) to Rock-cut Sculpture at Unakoti** (2015-16).

Memorandum :- i) Earnest Money : ₹ 57,301/-

(ii) Security Deposit : ₹ 2,29,205/-

Estimated Cost : ₹ 22,92,054/-

- a) Payable immediately on the acceptance of tender (including earnest money if deposited in cash with tender)
- b) Percentage to be deducted from bill As admissible

Schedule of Quantities of work

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
Gutken No.	Description or specification of work to be executed	Total Quantities of each to be executed	Places at which to be Executed	Quantities of work to be executed at each place	Dates by which execution at all places must be completed	Rate at which the item of work to be executed (inclusive of all demand to be quoted by Tenderer) ₹	Unit	Total cost of each works (inclusive of all demand to be quoted by Tenderer) ₹	Remarks
1	Earth work in excavation for construction of Tourist Information Center	8.16 CuM	Work site at Site	Work site at Site	Total works to be completed within 30 days		Per CuM		Tender items SL.No. 1 to 58 in Schedule is a single unit of Tender. No split up of items is entertained.
2	Providing P.C.C. (1:2:4) for base of extension of sculpture shed	6.46 CuM	Do	Do	Do		Per CuM		Do
3	Providing & laying in position specified grade of reinforced cement concrete (RCC) excluding the cost of centering, shuttering finish and reinforcement in mortar 1:2:4 (1 cement : 2 sand: 4 stone aggregate 2mm normal size)	16.57 CuM	Do	Do	Do		Per CuM		Do


 Superintending Archaeologist
 Archaeological Survey of India
 राक्षस गुफा, ताजा-०४
 ताजा, गुवाहाटी-७१

Schedule of Quantities of work

- 1) Name of Contractor
- 2) Date of Application for Tender form by Contractor
- 3) Date of receipt of Application in Circle/Branch Office
- 4) Date of issue of tender paper
- 5) Date of receipt of tender bids
- 6) Date of opening of tenders
- 7) Details of cuttings, over-writings and erasings found on the tender at the time of opening
- 8) Names and designations of Officers/Contractors present at the time of opening the tender
- 9) Date of opening of Tender : 30/01/2017

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
4	Steel reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete.	1936.41 Kg.	Do	Do	Do		Per Kg.		Do
5	Centering & Shuttering including strutting propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	120.00 SqM	Do	Do	Do		Per SqM.		Do
6	Demolishing R.C.C. work manually by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge	0.33 CuM	Do	Do	Do		Per CuM		Do
7	Demolishing brick work manually by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge in cement mortar	1.36 CuM	Do	Do	Do		Per CuM		Do
8	Half Brick Masonry with common burnt clay F.P.S. (non-modular) bricks of class designation 7.5 in foundations and plinth in cement mortar 1:4 (1 cement : 4 coarse sand)	15.00 CuM	Do	Do	Do		Per CuM		Do
9	20mm cement plaster inner and outer surface of the building in c.m. 1:4	129.00 SqM	Do	Do	Do		Per SqM		Do
10	Providing and applying white cement based putty of average thickness 1mm of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. out side and inside	129.00 SqM	Do	Do	Do		Per SqM		Do
11(a)	Finishing walls with water proofing cement paint of required shade. New work (Two or more coats applied @ 3.84 kg./10 SqM.)	34.00 SqM	Do	Do	Do		Per SqM		Do
11(b)	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade	95.00 SqM	Do	Do	Do		Per SqM		Do

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
12	Painting steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ .090 ltr/ 10 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of approved brand and manufacture	46.75 SqM	Do	Do	Do		Per SqM		Do
13	Providing and fixing M.S. grill of required pattern in frames of windows etc. with M.S. glats, square or round bars etc including priming coat with approved steel primer all complete	124.00 Kg.	Do	Do	Do		Per Kg.		Do
14	Engaging labour for shifting and proper placing of sculpture by the ordinary labour	60 Nos.	Do	Do	Do		Per No		Do
15	Earth work in excavation for construction of ticket room footing tie beam etc.	9.10 CuM	Do	Do	Do		Per CuM		Do
16	Providing P.C.C. (1:2:4) for base of Toilet and reception centre wall and column etc.	1.90 CuM	Do	Do	Do		Per CuM		Do
17	Flat brick soiling	11.85 SqM	Do	Do	Do		Per SqM		Do
18	Providing and laying in position specified grade of reinforced cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) excluding the cost of centering, shuttering, finishing and reinforcement.	4.19 CuM	Do	Do	Do		Per CuM		Do
19	Steel reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete	341.87 Kg.	Do	Do	Do		Per Kg.		Do
20	Centering & shuttering including strutting propping etc. and removal of form for suspended floors, roofs, landing, balconies and access platform.	38.60 SqM	Do	Do	Do		Per SqM		Do
21	Brick work in foundation & plinth with common brunt clay modular bricks of class designation 7.50 in foundation and plinth in cement mortar 1: 4 (1 cement : 4 coarse sand)	3.48 CuM	Do	Do	Do		Per CuM		Do

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
22	Supplying and filling in plinth with River sand under floors, including watering, rramming, consolidating and dressing complete.	0.59 CuM	Do	Do	Do		Per CuM		Do
23	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in cement mortar 1:4 (1 cement : 4 coarse sand)	33.00 SqM	Do	Do	Do		Per SqM		Do
24	20 mm cement plater inner and outer surface of the building in c.m. 1:4	65.00 SqM	Do	Do	Do		Per SqM		Do
25	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc. including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washer etc. complete.	180.44 Kg.	Do	Do	Do		Per Kg.		Do
26	Providing and fixing precoated galvanized iron profile sheets (size shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm+0.50%, total coated thickness with zinc coating 120 gsm as per IS:277 in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches while transportation and should be supplied in single length up to 12 meter or as desired by Engineer-in-charge. The sheet shall be fixed using self-drilling/ self tapping screws of size (5.5 x 55 mm) with EPDM seal complete upto any pitch in horizontal/ vertical or curved surfaces excluding the cost of purling, ratters and trusses and including cutting to size and shape wherever required.	26.55 SqM	Do	Do	Do		Per SqM		Do

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
27	Providing and fixing precast galvanized Steel sheets roofing accessories 0.50 mm+0.50%, total coated thickness, zinc coating 120 gsm as per IS:277 in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling / self tapping screws complete – Ridges plain (500-600 mm)..	4.50 mtr.	Do	Do	Do		Per mtr		Do
28	Providing and applying white cement based putty of average thickness 1mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	65.00 SqM	Do	Do	Do		Per SqM		Do
29	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade.	29.17 SqM	Do	Do	Do		Per SqM		Do
30	Finishing walls with water proofing cement paint of required shade New work (Two or more coats applied @ 3.84 kg/10 sqm) Exterior.	41.00 SqM	Do	Do	Do		Per SqM		Do
31	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).	0.32 CuM	Do	Do	Do		Per CuM		Do
32	Providing and fixing ISI marked flush door shutters conforming to IS :2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 9.20.1 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	2.12 SqM	Do	Do	Do		Per SqM		Do

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
33	Providing and fixing paneled or paneled and glazed shutters for doors, windows and clerestory windows, including ISI marked MS pressed but hinges bright finished of required size with necessary screws, excluding paneling which will be paid for separately, all complete as per direction of Engineer-in-charge. 35 mm thick shutters.	4.46 SqM	Do	Do	Do		Per SqM		Do
34	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured).	3.83 SqM	Do	Do	Do		Per SqM		Do
35	Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @0.75 ltr/10 sqm of approved brand and manufacture.	8.34 SqM	Do	Do	Do		Per SqM		Do
36	Providing and fixing plain Multipurpose Cement board (High Pressure steam cured) as per IS: 14862, with suitable screws for fibre cement board in ceiling etc. complete (frame work to be paid separately): 6 mm thick cement board. Ceiling	9.61 SqM	Do	Do	Do		Per SqM		Do
37 (a)	Electrical Wiring : (a) Wiring for light/power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed steel conduit alongwith 1 No. 4 sq.mm FR PVC insulated copper conductor single core cable for loop earthing as required.	25 mtr	Do	Do	Do		Per mtr		Do

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
(b)	Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc. as required.	8 points	Do	Do	Do		Per points		Do
(c)	c) Supply & fixing following way prewired SP & N MCB distribution board of steel sheet for 240 volts. on surface/recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FR PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator).	1 nos.	Do	Do	Do		Per No.		Do
38	Providing and fixing 32 AMPR capacity MCB TP & N DAR Electrical code 2.1.1.1 DSR 2012.	1 No.	Do	Do	Do		Per No.		
39	: Supplying, fitting and fixing of the Electrical items as per current market rates. i. Tube Light Frame & fitting etc.	2 Nos.	Do	Do	Do		Per No.		
	ii. CFL 20 watt	2 Nos.	Do	Do	Do		Per No.		
	iii. Table fan	1 No.	Do	Do	Do		Per No.		
	iv. Ceiling Fan (Usha) & fitting etc.	1 No.	Do	Do	Do		Per No.		
	v. Ceiling Rose	6 Nos.	Do	Do	Do		Per No.		

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
	vi. Bracket Holder	3 Nos.	Do	Do	Do		Per No.		
	vii. <u>Flush Metal Box</u> 5 Module G.I. Metal Box (Heavels)	2 Nos.	Do	Do	Do		Per No.		
	viii. <u>Platinum cone Plate</u> 5 Module platinum cone plate	2 Nos.	Do	Do	Do		Per No.		
40	Furniture of Ticket room. Godrej table	2 Nos.	Do	Do	Do		Per No.		
	Godrej chair	2 Nos.	Do	Do	Do		Per No.		
	Godrej almirah	1 No	Do	Do	Do		Per No.		
	Plastic Chai (with arm)	6 Nos.	Do	Do	Do		Per No.		
	Plastic Table	1 No.	Do	Do	Do		Per No.		
41	Earth work in rough excavation, banking excavated earth in layers not exceeding 20 cm in depth, breaking clods, watering, rolling each layer with ½ tonne roller or wooden or steel rammers, and rolling every 3rd and top-most layer with power roller of minimum 8 tonnes and dressing up in embankments for roads, flood banks, marginal banks and guide banks or filling up ground depressions, lead upto 50 m and lift upto 1.5 m :Excavation for guide wall.	22.00 CuM	Do	Do	Do		Per CuM		Do
42	Providing P.C.C. (1:2:4) for base of guide wall DSR 2012, Code No.4.1.3. Page No.85.	11.50 CuM	Do	Do	Do		Per CuM		Do
43	Random rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 cement: 6 coarse sand: 12 graded stone aggregate 20 mm nominal size) upto plinth level with Cement mortar 1:6 (1 cement: 6 coarse sand).	18.00 CuM	Do	Do	Do		Per CuM		Do

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
44	Chequered pre-cost C. C like 22 mm thick in footpath and courtyard jointed with neat cement slurry mixed with pigment to match the shade of tiles 1/C rubbing and cleaning etc. complete on 20 mm thick bed of mortar 1:4.	96.00 SqM	Do	Do	Do		Per SqM		Do
45	Providing fixing of tactile centre of the approach pathway jointed with neat cement slurry including rubbing and cleaning etc. on 20 mm thick bed of cement mortar 1:4.	24.00 SqM	Do	Do	Do		Per SqM		Do
46	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.	648.32 Kg.	Do	Do	Do		Per Kg.		Do
47	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in-charge.	0.69 CuM	Do	Do	Do		Per CuM		Do
48	Providing and laying in position specified grade of reinforced cement concrete 1:2:4 (1 cement:2 coarse sand: 4 graded stone aggregate 20 mm nominal size) excluding the cost of centering, shuttering, finishing and reinforcement).	4.00 CuM	Do	Do	Do		Per CuM		Do
49	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Mild steel and Medium Tensile steel bars.	565.00kg	Do	Do	Do		Per Kg.		Do
50	Centering and shuttering including strutting, propping etc. and removal of form for Columns, Pillars, Piers, Abutments, Posts and Struts.	73.15 SqM	Do	Do	Do		Per SqM		Do

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
51	Random rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 cement: 6 coarse sand: 12 graded stone aggregate 20 mm nominal size) upto plinth level with Cement mortar 1:6 (1 cement: 6 coarse sand).	12.25 CuM	Do	Do	Do		Per CuM		Do
52	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.	2327.05 Kg.	Do	Do	Do		Per Kg.		Do
53	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of approved brand and manufacture.	74.76 SqM	Do	Do	Do		Per SqM		Do
54	Earth work in excavation for construction of signage board.	0.17 CuM	Do	Do	Do		Per CuM		Do
55	Brick work in foundation & plinth with common burnt clay modular bricks of class designation 7.50 in foundation and plinth in cement mortar 1:4 (1 Cement 4 Sand)	1.56 CuM	Do	Do	Do		Per CuM		Do
56	20mm cement plaster inner and outer surface of the building in c.m. 1:4	8.10 SqM	Do	Do	Do		Per SqM		Do
57	Granite for signage board (1.50x1.20) m	1.80 SqM	Do	Do	Do		Per SqM		Do
58	Writing of signage board.	1146 latter	Do	Do	Do		Per Latter		Do

NB: Quoting of Rates & Total cost in Col. No. 7 & 9 for all item is mandatory.

(Rupees)

N.B. : Quantity of work and materials may be increased/decreased at site.

Contractor's signature with seal

Should this tender be accepted, I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions annexed hereto so far as applicable and/or in default thereof to forfeit and pay to the President of India or successor in office the sum of money mentioned in the said conditions. A sum of ₹ * is herewith forwarded in Cash/Treasury Challan as Earnest Money. If I/we fail to commence the work specified in the above memorandum or if I/we fail to deposit the amount of security deposit specified against (ii) (a) in the above memorandum in accordance with clause 1 of the said conditions of contract, I/we agree that the said President or his successors in office, without prejudice to any other right of remedy, shall be at liberty to forfeit the said earnest money absolutely, otherwise the said President or his successors in office shall also be at liberty to cancel the acceptance of the tender if I/we fail to deposit security amount as aforesaid.

.....
* Give particulars & number.

Signature
Full Address with PIN :

Signature of witness to signature of tenderer.

Full Address

Dated

The 2017

The above tender is hereby accepted by me on behalf of the President of India.

Dated

The 2017


Signature of the officer by whom the tender is accepted

TERMS & CONDITIONS

1. The works/supply shall be carried out by the Contractor/Firm strictly and in accordance with the ASI, Guwahati Circle's specifications and as per direction of Engineer-in-charge.
2. The rates given for the works should be inclusive of all taxes, leads and lifts, etc. Nothing extra shall be paid over the rates quoted by the contractor/firm.
3. In case the material is not as per specification, the same shall be replaced by the contractor/firm with own cost. The department shall not be responsible for any theft or loss.
4. No payment shall be made to the contractor/firm if the materials are damaged due to natural calamities before measurement.
5. The tender must accompany the Earnest Money as stated in the tender form only and cost of tender form of ₹ 500/- only in the form of Bank Demand Draft/Pay Order of any Nationalized Bank in favour of Superintending Archaeologist, Archaeological Survey of India, Guwahati Circle, Guwahati -1 payable at Guwahati.
6. It shall be the responsibility of the contractor/firm to ensure that no damage is caused to Govt. property at the site by his/their vehicle or labour party. Cost of such damages, if any, will be assessed at the discretion of the Superintending Archaeologist, Archaeological Survey of India, Guwahati Circle and the same will have to be made good by the contractor/firm with own cost.
7. The tender submitted on behalf of a firm shall be signed by all the partners of the firm or by a partner who is duly authorized on behalf of the firm to enter into contract. Otherwise the tender is liable to be rejected.
8. **The firm/contractor must ensure the fulfillment of time line given by the office in the supply order/work order failing which the firm/contractor shall be debarred from further tender process in this office and the security deposit/earnest money shall be forfeited. The action pertaining to black listing the firm/contractor may also take place.**
9. All gold, silver, oil and other materials or any antiques and other similar things, which may be found, in or upon the site shall be the property of the Archaeological Survey of India. Contractor/firm shall deliver the same to such persons as the Department may from time to time appoint to receive the same.
10. Error/omission if any, shall be rectifiable with no claim.
11. No claim whatsoever on account of fluctuations in prices will be entertained.
12. If any litigation arises through labour court or labour commissioner & other court, etc. on account of litigation through labourers engaged by him, the contractor will be fully responsible. Moreover, if claim arises out of any litigation, the contractor will be responsible for payment of such claim.
13. The contractor/firm shall not be entitled to any compensation --whatsoever on account of any delay or default in the supply of materials mentioned in the schedule.
14. The Earnest money and security deposit of the successful contractor/firm will be forfeited, if he fails to comply with any of the conditions of the contract and work shall be carried out at risk and cost of the contractor/firm.
15. Overall rates shall be considered for approval of tender.
16. Any material left on the site of work after one month from the date of completion of the work, shall become the property of the Govt. and not payment shall be made for it.

17. If more than one tenderer quoting the same rates are received, it will be the discretion of undersigned calling one tenderer to award the work to whom he finds suitable to do the job and his decision will be final and binding on the tenderer.
18. Work order/Supply order will be issued after receiving of security deposit.
19. **The competent authority reserves the full right to accept or reject any of all the tenders without assigning any reason.**
20. The President of India does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and tenderer shall be bound to perform the same at the rates quoted.
21. Sales tax or any other or material in respect of this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect.
22. The contractor must produce Income Tax clearances certificate and Permanent A/C Number (PAN) before the tender can be sold to him.
23. The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and execution of the contracts) in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him in capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in ASI or in the Ministry of Tourism and Culture by the contractor should render him liable to be removed from the approved list of contractors of this Department.
24. The contractors shall give a list of Non-Gazetted employees related to him.
25. No Engineer of Gazetted rank or other Gazetted officer employed in the Engineering of Administrative duties in an Engineering of the Government of India is aforesaid before submission of the tender of engagement in the contractor's service.
26. Any legal matter related to tender will be settled in Guwahati High Court.

Contractor's Signature with Seal


19/1/17
अधीक्षक पुरातत्त्वविद्
Superintending Archaeologist
आर्कैलॉजिकल सर्वेय ऑफ इण्डिया
Archaeological Survey of India
Guwahati Circle, Guwahati - I
गुवाहाटी मण्डल, गुवाहाटी-०१
Guwahati Circle, Guwahati - I